AUTHOR INDEX

Adamo R., see Pecchio, 393
Adhvaryu S.G., see Patel, 639
Agresti R., see Cascinelli, 309
Agresti R., Alzani R., Andreola S., Bedini V., Giani S., Ménard S., Rilke F., Colnaghi M.I.: Histopathological characterization of a novel monoclonal antibody, MLuC1, reacting with lung carcinomas, 401
Ajmar F., see Defferrari, 555
Alberti P.F., see Bucciarelli, 587
Albini A., see Allavena, 1
Algamiz C., see Cazap, 313
Algeri R., see Tucci, 689
Allavena G., Melchiori A., Carlone S., Di Renzo M.F., Comoglio P., Parodi S., Santi L., Albini A.: High chemotactic motility and growth in hard agar of a variant of RSV-transformed fibroblasts are lost in late passages, 1
Alloisio M., see Pastorino, 201
——, see Valente, 213
Alzani R., see Agresti, 401
Amadori D., see Riccobon, 167
Andreola S., Di Re E., Merson M., Maggiulli L., De Palma P.: Immunohistochemical study of ten cases of argyrophilic carcinoma (carcinoid) of the breast, 295
Andreola S., see Cascinelli, 309
Andreola S., Bertario L., Bombelli L., Rossetti C., Gennari L.: Abnormal pattern of mucin secretion at the resection margin of colorectal carcinomas, 317
——, see Di Palma, 321
——, see Agresti, 401
Andreoli C., see Filiberti, 353
Angelini L., see Guidi, 369
Argiolas L., see Forteleoni, 665
Artega C., see Cazap, 313
Attili A., see Cascinelli, 35
Avella M., see Bacci, 421, 649
Azzarelli A., see Pastorino, 201
——, see Torelli, 475
Azzoni L., see Vineis, 275

Bacchioni A.M., see Torelli, 233
Bacci G., Avella M., Picci P., Briccoli A., Dallari D., Campanacci M.: Metastatic patterns in osteosarcoma, 421
——, see Boriani, 543
Bacci G., Avella M., McDonald D., Roni A., Orlandi M., Campanacci M.: Serum lactate dehydrogenase (LDH) as a tumor marker in Ewing's sarcoma, 649
Badano C., see Cazap, 313
Bajetta E., see Negretti, 163
Balar D.B., see Bhatavdekar, 221
——, see Patel, 639
Baldini N., see Boriani, 543
Balli M., see Demicheli, 563
Balzi D., see Vigotti, 107

Barbareschi M., Ferrero S., Frigo B., Mariscotti C., Mosca L.: Bronchial carcinoid with S-100 positive sustentacular cells, 705
Barbieri E., see Boriani, 543
Barni S., see Lissoni, 303, 339
Barni S., Lissoni P., Rovelli F., Crispino S., Paolorossi F., Esposti D., Esposti G., Fraschini F., Tancini G.: Alteration of opioid peptide circadian rhythm in cancer patients, 357
——, see Rovelli, 633
Bartoloni G., see Puleo, 485
Barzan L., see Veronesi, 559
Baschieri L., see Giani, 287
Basolo F., Pingitore R., Gadducci A.: Osteosarcoma of the myometrium synchronous with bilateral papillary cystadenocarcinoma of the ovary and papillary adenocarcinoma of the cervix, 227
Bastreghi G., see Tucci, 689
Becchi G., see Saccani Jotti, 681
Becouarn Y., Calabet J., Brunet R.: Phase II study of a 5-fluorouracil, teniposide and mitomycin-C combination chemotherapy in advanced colorectal carcinomas, 75
Bedini A.V., see Cataldo, 71
——, see Valente, 213
Bedini V., see Agresti, 401
Belicza M., see Brdar, 45
Belli F., see Cascinelli, 35
——, see Rovini, 657
Bellmunt J., Navarro M., Hidalgo R., Solé L.A.: Palmar-plantar erythrodysesthesia syndrome associated with short-term continuous infusion (5 days) of 5-fluorouracil, 329
Belloni C., see Bolis, 93
Benigni G., see Giani, 287
Bentivoglio G., see Conte, 217
Beretta E., see Di Palo, 593
Berni D., see Ciatto, 177
Berrino P., see Galli, 195
Berrino F., see Sant, 243
Bertario L., see Andreola, 317
Besana C., see Villa, 257
Betts C.M., see Papotti, 599
Bhaduri A., see Bhatavdekar, 221
Bhatavdekar J.M., Ghosh N., Shukla M.K., Balar D.B., Bhaduri A., Karelia N.H., Shah N.G., Trivedi N.: Prognostic value of squamous cell carcinoma antigen in patients with uterine cervical carcinoma, 221
Biagini R., see Maione, 725
Bianchi S., see Ciatto, 177
Bianchi M., see Sant, 243
Bianco A.R., see Palmieri, 585
Biasoli R., see Tomirotti, 573
Bidoli E., see Veronesi, 559
Biglino A., see Ciaiolo, 537
Bigo A., see Vineis, 275
Biunno I., see Villa, 257
Bocchi P., see Saccani Jotti, 681
Bodenizza C., see Melillo, 129
Boeri R., see Fargion, 713
Bogliolo G., see Lerza, 333
Boiocchi M., see Toffoli, 11
——, see Viel, 499
Bolis G., Belloni C., Bonazzi C., Mangili G., Presti M., Zanaboni F., Mangioni C.: Analysis of 309 cases after hydatidiform mole: different follow-up program according to biologic behavior, 93
——, see Zaffaroni, 137

Bolzan M., Conte G.: Evaluation in terms of annual incidence of lung cancer within the ULSS's of the Veneto region (Italy) from hospital discharge data (years 1980-1982), 697
Bombardieri E., see Saccani Jotti, 681
Bombelli L., see Andreola, 317
Bonaguri C., see Riccobon, 167
Bonanno I., see Micheletti, 85
Bonassi S., see Puntoni, 27
Bonazzi C., see Bolis, 93
Bonciarelli G., see Demicheli, 563
Bondi R., Urso C., Santucci B., Santucci M., Marchesi A., Panzoni E.: Giant cell lesion of the jaw. Case report, 479
Bonelli P., see Romano, 397
Bonfante V., see Negretti, 163
Bordo B.M., see Sant, 243
Borghi G., see Notario, 507
Boriani S., Picci P., Sudanese A., Toni A., Mancini A., Frezza G., Barbieri E., Baldini N., Monesi M., Ciaroni D., Bacci G.: Radio-induced sarcomas in survivors of Ewing's sarcoma, 543
Boscaino A., see Donofrio, 751
Bozzi D., see De Lena, 65
Braga M., see Zerbi, 365
——, see Duca, 731
Brandi M., see De Lena, 57, 65
Bravetti P., see Ciatto, 177
Bravi M., see Notario, 507
Brdar B., Graf D., Padovan R., Nola P., Rudan N., Petrinec Z., Serčević B., Belicza M.: Estrogen and progesterone receptors as prognostic factors in breast cancer, 45
Breccia M., see Giani, 287
Briccoli A., see Bacci, 421
Brogelli L., Carli P., Reali U.M., Pimpinelli N., Moretti S.: Antigenic phenotype of radial growth phase melanomas with or without a vertical growth phase portion, 157
Brogelli E., see Moretti, 609
Broglia M., see Notario, 507
Brugnatelli S., see Gaetani, 145
Brunet R., see Becouarn, 75
Bruno M., see Cazap, 313
Bruzzi P., see Paci, 675
Bruzzone M., see Conte, 217
——, see Chiara, 471
Bucciarelli E., Cavaliere A., Sidoni A., Alberti P.F., Sfondalmondo S.: Bilateral primary malignant lymphoma of the breast. A case report, 587
Buffoli A., see Micheletti, 85
Buiatti E., see Paci, 675
Buraggi G., see Cascinelli, 35
Buranelli F., see Filiberti, 353
Burke P., see Vineis, 275
Butti G., see Gaetani, 145
Buttini R., see Gaetani, 145
Budzanowska E., Pawlicki M.: An attempt at topical DNCB immunomodulation in advanced malignant melanoma, 519

Cairo G., see Villa, 257
Calabet J., see Becouarn, 75
Calabrese P., see De Lena, 65
Calciati A., see Giaccone, 191
Calzavara M.P., see Cattaneo, 713
Campa T., see Filiberti, 353

Campanacci M., see Bacci, 421, 649
Campani D., see Giani, 287
Campo B., see Torelli, 233, 475
Canaletti R., see Tomirotti, 573
Canti G., see Marelli, 387
Cantoni L., see Rovini, 657
Caporaso N., see Vineis, 19
Cappellini M., see Pacini, 281
Capucci A., see Riccobon, 167
Carbone A., see Tirelli, 433
Carletti C., see Guidi, 369
Carli P., see Brogelli, 157
Carli M., see Cecchetto, 645
Carlone S., see Allavena, 1
Carnino F., see Conte, 217
Corotenuto M., see Melillo, 129
Carpi A., see Tomirotti, 573
Cartei G., Mian S., Cendron R., Lamon S., Clocchiatti L., Fasola G., Galletti D., Sibau A.: A phase II study of mitoxantrone, 579
Caruso G., see Veronesi, 559
Casadio C., see Pecchio, 393
Cascavilla N., see Melillo, 129
Cascinelli N., Attili A., Belli F., Buraggi G., Turrin A., Gasparini M., Terno G., Vaglini M.: Anti-melanoma monoclonal antibody 225-28S: evaluation of toxicity in man, 35
Cascinelli N., Greco M., Leo E., Agresti R., Andreola S.: Monoclonal antibodies MBr1 and MBr8 as predictors of response to oophorectomy in advanced breast cancer, 309
——, see Gambacorti-Passerini, 523
——, see Rovini, 657
Castagna M., see Marchetti, 261
Castagnoli A., see Nuzzo, 745
Castiglione G., Ciatto S.: Selection criteria in colorectal cancer screening, 451
——, see Ciatto, 457
Castobello C., see Puleo, 485
Cataldo I., Bedini A.V., Lequaglie C., Ongari M., Valente M., Ravasi G.: Late results after sleeve or wedge lobectomies for non-small-cell lung carcinoma, 71
——, see Valente, 213
Catania S., Monti M., Tamburini M., Locatelli E., La Grasta D., Cunietti E.: Influence of one- and two-stage biopsy-mastectomy procedures on psychologic adaptation of patients, 41
Catarzi S., see Ciatto, 177
Cattaneo G., see Lissoni, 303, 339
Cattaneo M.T., Vago G., Piazza E., Filipazzi V., Maruzzi M., Rho B., Silvani A., De Marinis F., Cogo R., Calzevara M.P., Scarpazza G., Piatto E., Lombardi F., Libretti A.: Six-drug sequential chemotherapy in non-small cell lung cancer: a North Milan study group, 713
Cattoretti G., see Orazi, 439
Cavaliere A., see Bucciarelli, 587
Cavazzini L., see Guidi, 369
Cazap E., Estevez R., Bruno M., Levy D., Algamiz C., Chacon R., Badano C., Romero A., Desimone G., Roca E., Arteaga C., Hannois A., Kotliar M., Wooley P.: Phase II trial of 4'-epi-doxorubicin in locally advanced or metastatic gastric cancer, 313
Cecchetto G., Grotto P., De Bernardi B., Indolfi P., Perilongo G., Carli M.: Paratesticular rhabdomyosarcoma in childhood: experience of the Italian Cooperative Group, 645
Cecchini S., Grazzini G., Ciatto S.: Cervical cancer screening in Tuscany: a survey of the actual state of cervical cancer prevention in the local sanitary units of the Tuscan Region, 253
Cellerino R., see Tummarello, 207

Cendron R., see Cartei, 579
Ceppi M., see Puntoni, 27
Cetto G.L., see Molino, 151
Chacon R., see Cazap, 313
Chiara S., Consoli R., Falcone F., Bruzzone M., Foglia G., Ragni N., Conte P.F.: Cisplatin and 5-fluorouracil in advanced and recurrent cervical cancer, 471
——, see Conte, 217
Chiappa L., see Duca, 737
Chilosi M., see Molino, 151
Ciaiolo C., Ferrero D., Pugliese A., Biglino A., Marletto G., Tonello M., Colzani G., Marietti G.: Enhancement of methotrexate cytotoxicity by modulation of proliferative activity in normal and neoplastic T lymphocytes and in a myeloid leukemia cell line, 537
Ciaroni D., see Boriani, 543
Ciatto S., Bravetti P., Berni D., Catarzi S., Bianchi S.: The role of galactography in the detection of breast cancer, 177
Ciatto S., Castiglione G., Crocellà A., Parenti R., D'Albasio G., Fucini C.: The double contrast barium enema in the identification of proximal colonic adenomas and carcinomas beyond the limits of fiberoptic sigmoidoscopy, 457
——, see Cecchini, 253
——, see Castiglione, 451
Ciccone G., see Vineis, 275
Cislaghi C., see Vigotti, 107
Cislaghi V., see Fargion, 707
Clocchiatti L., see Cartei, 579
Cogo R., see Cattaneo, 713
Colnaghi M.I., see Agresti, 401
Colombari R., see Molino, 151
Colombo C., see Di Palma, 321
Colzani G., see Ciaiolo, 537
Comoglio P., see Allavena, 1
Comoretto R., see Veronesi, 559
Consoli R., see Chiara, 471
Conte P.F., Bruzzone M., Chiara S., Rosso R., Giaccone G., Carnino F., Guercio E., Ragni N., Foglia G., Bentivoglio G., Pescetto G., Materman E., Franks C.: Carboplatin (JM 8), adriamycin and cyclophosphamide (JAC) in advanced ovarian carcinoma: A pilot study, 217
——, see Chiara, 471
Conte G., see Bolzan, 697
Conti A.R., see Orefice, 347
Corrada P., see Torelli, 233
Costa A., see Filiberti, 353
Crispino S., see Lissoni, 303, 339
——, see Barni, 357
——, see Rovelli, 633
Crocella A., see Ciatto, 457
Crosignani P., see Sant, 243
Cruz-Sanchez F., see Rossi, 101
Cunietti E., see Catania, 41

Daidone M.G., see Zaffaroni, 137
D'Albasio G., see Ciatto, 457
Dallari D., see Bacci, 421
Damle S.R., see Inamdar, 171
Danova M., see Gaetani, 145
De Bernardi B., see Cecchetto, 645
De Blasio F., see Maione, 725
De Lena M., Brandi M., Logroscino A., Lorusso V., Paradiso A., Maiello E.: Intravenous administration of cyclophosphamide, methotrexate and 5-fluorouracil in metastatic breast cancer. A pilot study, 57

De Lena M., Brandi M., Bozzi D., Calabrese P., Romito S.: 4-Demethoxydaunorubicin administered orally in advanced breast cancer. A phase II study, 65
De Marinis F., see Cattaneo, 719
De Negri F., see Giani, 287
De Palma P., see Andreola, 295
De Re V., see Viel, 499
De Rosa G., see Rendina, 79
——, see Donofrio, 751
De Villiers E.M., see Nuzzo, 745
Decarli A., see Vigotti, 107
Decarli A., La Vecchia C.: Cancer mortality in Italy, 1982, 623
Defferrari R., Sessarego M., Santini G., Ajmar F.: t(1;7) in acute myeloblastic leukemia following myelodysplastic syndrome (RAEB-T), 555
Del Rosso P., see Maione, 725
Delia D., see Orazi, 439
Della Porta G., see Orazi, 439
Delpino A., see Mattei, 513
Demicheli R., Foroni R., Giuliani F.C., Savi G.: Influence of tumor growth kinetics on response to doxorubicin treatment of C3H mammary carcinoma, 269
Demicheli R., Bonciarelli G., Jirillo A., Lonardi F., Balli M.: Bleomycin, vincristine, mitomycin and cisplatin alternated with cyclophosphamide, 4'-epidoxorubicin and procarbazine in advanced non-small-cell lung cancer, 563
Dergachev A.I., see Tsyb, 463
Desimone G., see Cazap, 313
Di Carlo V., see Zerbi, 365
Di Cataldo A., see Puleo, 485
Di Giorgio F., see Puntoni, 27
Di Palma S., Andreola S., Lombardi L., Colombo C.: Ileal carcinoid metastatic to the breast. Report of a case, 321
Di Palma S., Giardini R.: Leiomyoma of the kidney, 489
Di Palo S., Faravelli A., Beretta E., Taccagni G.L.: Langerhans histiocytosis of the choledochus in an adult patient with a history of disseminated disease, 593
Di Re E., see Andreola, 295
Di Renzo M.F., see Allavena, 1
Dianzani M.U., see Rossi, 617
Dipasquale B., see Molino, 151
Dolcetti R., see Viel, 499
Donadio M., see Giaccone, 191
Donofrio V., Passeretti U., Russo S., Boscaino A., De Rosa G.: Neurothekeoma of the thumb: a case report, 751
Dossena G., see Filiberti, 353
Duca P., Braga M., Chiappa L., Piffer R., Turolla E.: Intralaboratory reproducibility of interpretation of pap-smears: results of an experiment, 737
Dunchik V.N., see Tsyb, 463

Esposti D., see Barni, 357
Esposti G., see Barni, 357
Estevez R., see Cazap, 313
Eusebi V., see Papotti, 599
Evangelista G., see Giani, 287

Falcone F., see Chiara, 471
Faravelli A., see Zerbi, 365
——, see Di Palo, 593
Fargion S., Boeri R., Cislaghi V., Francanzani A.L., Piperno A., Schmid C., Fiorelli G.: Immunohistochemical evaluation of a panel of monoclonal antibodies for the diagnosis of small cell lung cancer, 713

Farris A., see Forteleoni, 665
Fasciano F., see Vineis, 275
Fasola G., see Cartei, 579
Fattorossi A., see Moretti, 609
Ferrari L., see Negretti, 163
Ferraris R., see Vineis, 275
Ferraris A.M., see Forteleoni, 665
Ferrati P., see Giaccone, 191
Ferrero D., see Ciaiolo, 537
Ferrero S., see Barbareschi, 705
Ferrini U., see Mattei, 513
Filiberti R., see Puntoni, 27
Filiberti A., Tamburrini M., Andreoli C., Buranelli F., Campa T., Costa A., Dossena G., Magni A., Pizzichetta M., Ventafridda V.: Psychologic aspects of patients participating in a phase I study with the synthetic retinoid 4-hydroxyphenyl retinamide, 353
Filipazzi V., see Cattaneo, 719
Fiorelli G., see Fargion, 713
Flamini E., see Riccobon, 167
Fleming K.A., see Rossi, 101
Foglia G., see Conte, 217
——, see Chiara, 471
Foladore S., see Veronesi, 559
Fontanesi M., see Saccani Jotti, 681
Forni G., see Molino, 151
Foroni R., see Demicheli, 269
Forteleoni G.F., Argiolas L., Farris A., Ferraris A.M., Gaetani G., Meloni T.: G6PD deficiency and breast cancer, 665
Foschini M.P., see Papotti, 599
Fowst C., see Pogliani, 731
Francanzani A.L., see Fargion, 713
Franco P., see Marelli, 387
Franks C., see Conte, 217
Fraschini F., see Lissoni, 339
——, see Barni, 357
Frezza G., see Boriani, 543
Frigerio A., see Vineis, 275
Frigo B., see Barbareschi, 705
Fucini C., see Ciatto, 457
Fumagalli G., see Rovelli, 633

Gadducci A., see Basolo, 227
Gaetani P., Danova M., Butti G., Silvani V., Brugnatelli S., Buttini R., Knerich R., Riccardi A.: Cell kinetics aspects of human malignant neuroepithelial tumors: A follow-up study, 145
Gaetani G.F., see Forteleoni, 665
Galletti D., see Cartei, 579
Galli A., Berrino P., Rainero M.L., Santi P.: Transposition of myocutaneous flaps in breast reconstruction following radical mastectomy: Latissimus dorsi vs. rectus abdominis flap, 195
Gambacorti-Passerini C., Radrizzani M., Rivoltini L., Marchesi E., Ravagnani F., Sciorelli G., Cascinelli N., Parmiani G.: A new procedure for large scale production and freezing of lymphokine activated killer (LAK) cells to be used in adoptive immunotherapy of cancer, 523
Gasparini M., see Cascinelli, 35
——, see Pastorino, 201
Gennari L., see Andreola, 317
Genovese M.G., see Vineis, 275
Gerosa M., see Molino, 151
Ghosh N., see Bhatavdekar, 221

Giaccone G., Donadio M., Ferrati P., Calciati A.: Cisplatin and etoposide in chemotherapy-refractory advanced breast cancer, 191
Giaccone G., see Conte, 217
Giani C., Pinchera A., Breccia M., Campani D., De Negri F., Benigni G., Evangelista G., Miccoli P., Savarese M.R., Incensati R., Masini I., Baschieri L., Squartini F.: Relationship between progesterone receptor and productive fibrosis as an index of tumor differentiation in breast cancer, 287
Giani S., see Agresti, 401
Gianni L., see Negretti, 567
Giardini R., see Villa, 257
——, see Di Palma, 489
Giè P., see Tomirotti, 573
Giordana M.T., see Schiffer, 411
Giordano F., see Livraghi, 361
Giorgi D., see Vigotti, 107
Giovaninetti A., see Tomirotti, 573
Giuliani F.C., see Demicheli, 269
Giunta A., see Maione, 725
Goldsmith D.F., see Puntoni, 27
Graf D., see Brdar, 45
Grassi M., see Orefice, 347
Grazzini G., see Cecchini, 253
Greco M., see Cascinelli, 309
Gridelli C., see Palmieri, 585
Grishin G.N., see Tsyb, 463
Grotto P., see Cecchetto, 645
Guarnieri A., see Tucci, 689
Guercio E., see Conte, 217
Guerra G., see Notario, 507
Guidi F., see Tummarello, 207
Guidi E., Angelini L., Carletti C., Cavazzini L., Rausa G.: Mortality for tracheal, bronchial and lung cancer: possibilities and limits in data quality-control, 369
Gullino P., see Pich, 7
G.I.V.I.O. (Interdisciplinary Group for Cancer Care Evaluation), Italy: Performance of general hospitals in delivering adjuvant chemotherapy to breast cancer patients, 377

Hannois A., see Cazap, 313
He G., see Zhao, 53, 693
Hidalgo R., see Bellmunt, 329
Hlavay E., see Marchetti, 261
Hornez L., see Revillion-Carette, 669

Illeni M.T., see Rovini, 657
Inamdar N.A., Redkar S.L., Mittra I., Damle S.R.: Clinical significance of serum spermine in breast cancer, 171
Incensati R., see Giani, 287
Indolfi P., see Cecchetto, 645
Innocente R., see Veronesi, 559
Isaia G., see Papotti, 599
Isidori P., see Tummarello, 207
Jirillo A., see Demicheli, 563

Karelia N.H., see Bhatavdekar, 221
Karyakin O.B., see Tsyb, 463
Knerich R., see Gaetani, 145
Kotliar M., see Cazap, 313

La Grasta D., see Catania, 41
La Greca G., see Puleo, 485
La Vecchia C., see Vigotti, 107
——, see Decarli, 623
Ladogana S., see Melillo, 129
Lamon S., see Cartei, 579
Latteri F., see Puleo, 485
Lefebvre J., see Revillion-Carette, 669
Lega M., see Pich, 7
Leidi G.L., see Torelli, 233
Leo E., see Cascinelli, 309
Leone G., see Morra, 553
Lequaglie C., see Cataldo, 71
Lerza R., Bogliolo G., Mencoboni M., Saviane A., Pannacciulli I.: Studies on hemotoxicity of cyclophosphamide, doxorubicin and cis-diamminodichloroplatinum combined with sodium-2-mercaptoethane sulfonate, 333
Levy D., see Cazap, 313
Li Destri G., see Puleo, 485
Libretti A., see Cattaneo, 719
Lissoni P., Barni S., Crispino S., Cattaneo G., Tancini G.: Endocrine and clinical effects of an LHRH anologue in pretreated advanced breast cancer, 303
Lissoni P., Tancini G., Barni S., Crispino S., Paolorossi F., Rovelli F., Cattaneo G., Fraschini F.: Melatonin increase as predictor for tumor objective response to chemotherapy in advanced cancer patients, 339
Lissoni P., see Barni, 357
——, see Rovelli, 633
Livraghi T., Sangalli G., Giordano F., Vettori C.: Fine aspiration versus fine cutting needle, and comparison between smear cytology, inclusion cytology and microhistology in abdominal lesions, 361
Locatelli E., see Catania, 41
Logroscino A., see De Lena, 57
Lombardi L., see Di Palma, 321
Lombardi L., Orazi A.: Electron microscopy in an oncologic institution. Diagnostic usefulness in surgical pathology, 531
Lombardi F., see Tomirotti, 573
——, see Cattaneo, 719
Lonardi F., see Demicheli, 563
Lorenzi P., see Molino, 151
Lorico A., see Toffoli, 11
Lorusso V., see De Lena, 57
Luciani L., see Negretti, 567
Luparia E., see Vineis, 275

Maestro R., see Viel, 499
Maffé P., see Pogliani, 731
Maggiulli L., see Andreola, 295
Magni A., see Filiberti, 353
Magri M.D., see Veronesi, 559
Maiello E., see De Lena, 57
Maione S., Giunta A., Tuccillo B., Biagini R., Del Rosso P., Pezza A., De Blasio F.: Echo-doppler assessment of left ventricular diastolic function in patients with primitive lung cancer treated with doxorubicin, 725
Mancini A., see Boriani, 543
Mangili G., see Bolis, 93
Mangioni C., see Bolis, 93
Marchesi A., see Bondi, 479
Marchesi E., see Gambacorti-Passerini, 523

Marchetti A., Svec J., Hlavay E., Veselovska Z., Castagna M., Squartini F.: Morphologic and antigenic properties of mouse mammary tumor virus produced in a hormoneresponsive fashion by C57Bl/10 mammary tumors of non-viral origin, 261
Marchi M., see Vigotti, 107
Marelli O., Franco P., Canti G., Prandoni N., Ricci L.: Induction of new antigenic properties on DTIC-treated L1210 clones, 387
Marietti G., see Ciaiolo, 537
Mariscotti C., see Barbareschi, 705
Marletto G., see Ciaiolo, 537
Marozzi A., see Pogliani, 731
Marra R., Pagano L., Storti S., Nicoletti G., Teofili L., Rabitti C., Leone G.: Lung cancer in acute myelomonocytic leukemia: a report of two cases, 553
Martelli M., see Rendina, 79
Maruzzi M., see Cattaneo, 719
Masini I., see Giani, 287
Materman E., see Conte, 217
Mattei E., Delpino A., Mileo A.M., Ferrini U.: Absence of acquired thermotolerance in murine tumors unable to increase the expression of heat shock proteins following stress stimuli, 513
Mauro A., see Schiffer, 411
McDonald D., see Bacci, 649
Melchiori A., see Allavena, 1
Melillo L., Musto P., Tomasi P., Cascavilla N., Bodenizza C., Ladogana S., Carotenuto M.: Serum beta2-microglobulin in malignant lymphoproliferative disorders, 129
Meloni T., see Forteleoni, 665
Ménard S., see Agresti, 401
Mencoboni M., see Lerza, 333
Mensi F., see Tomirotti, 573
Merlo F., see Puntoni, 27
Merson M., see Andreola, 295
Mian S., see Cartei, 579
Miccoli P., see Giani, 287
Micheletti E., Morrica B., Bonanno I., Buffoli A.: Bladder cancer prognostic indices: analysis of 286 patients treated with radical radiation therapy, 85
Migheli A., see Schiffer, 411
Mileo A.M., see Mattei, 513
Miozzo M., see Orazi, 439
Miserendino L., see Pecchio, 393
Mittra I., see Inamdar, 171
Molino A., Stevanoni G., Lorenzi P., Dipasquale B., Colombari R., Chilosi M., Cetto G.L., Forni G., Gerosa M., Tridente G.: Establishment and characterization of a new human melanoma cell line (HU 214) with a high growth potential and stable properties, 151
Montesi M., see Boriani, 543
Monfardini S., see Veronesi, 559
Montesco M.C., Pinarello A., Ninfo V.: Parafollicular C-cell hyperplasia. Report of three cases in primary thyroid lymphomas, 97
Monti M., see Catania, 41
Moretti S., see Brogelli, 157
Moretti S., Santucci M., Brogelli L., Palermo A., Reali U.M., Pimpinelli N., Fattorossi A.: Multiple marker studies on a malignant fibrous histiocytoma with primary cutaneous localization, 609
Morrica B., see Micheletti, 85
Mosca L., see Barbareschi, 705
Moscato D., see Pecchio, 393
Muretto P., Polizzi V., Staccioli M.P.: Paget's disease in gynecomastia: immunohistochemical study of a case, 183
Muscolino G., see Valente, 213
Musto P., see Melillo, 129

Nardi S., see Rendina, 79
Navarro M., see Bellmunt, 329
Navone R., see Pich, 7
Negretti E., Ferrari L., Bonfante V., Bajetta E.: Phase II study with ifosfamide in advanced malignant melanoma, 163
Negretti E., see Orazi, 439
Negretti E., Zambetti M., Luciani L., Gianni L.: Timing of surgery and the role of cytoreductive chemotherapy in patients with advanced ovarian carcinoma, 567
Nicola G., see Sant, 243
Nicoletti G., see Morra, 553
Ninfo V., see Montesco, 97
Nola P., see Brdar, 45
Notario A., Torriani A., Bravi M., Broglia M., Borghi G., Guerra G.: The influence of thyroid hormones on colony growth of peripheral CFU-GM from normal and leukemic subjects, 507
Nuzzo F., Tison V., Castagnoli A., Tiboni M., De Villiers E.M.: Human papillomavirus (HPV) cervical lesions, results from 300 Italian women studied with DNA hybridization techniques and morphology, 745

Ongari M., see Cataldo, 71
——, see Pastorino, 201
——, see Valente, 213
Orazi A., Cattoretti G., Sozzi G., Miozzo M., Polli N., Delia D., Viviani S., Negretti E., Della Porta G., Rilke F.: Morhologic, immunologic, and cytogenetic characteristics of secondary acute unclassifiable leukemia in Hodgkin's disease, 439
Orazi A., see Lombardi, 531
Ordesi G., see Torelli, 233, 475
Orefice S., Conti A.R., Grassi M., Salvadori B.: The use of lympho-venous anastomoses to prevent complications from ilio-inguinal dissection, 347
Orlandi M., see Bacci, 649

Paci E., Rosselli Del Turco M., Palli D., Buiatti E., Bruzzi P., Piffanelli A.: Selection of high risk groups for breast cancer screening, 675
Pacini P., Cappellini M.: Conservative treatment of breast cancer in Italy. A survey, 281
Padovan R., see Brdar, 45
Pagano L., see Morra, 553
Palermo A., see Moretti, 609
Palli D., see Paci, 675
——, see Saccani Jotti, 681
Palmieri G., Gridelli C., Vitale A., Bianco A.R.: Contemporary chemotherapy and radiotherapy for inguinal metastases of carcinoma of the penis: a case report, 585
Pannacciulli I., see Lerza, 333
Panzoni E., see Bondi, 479
Paolorossi F., see Lissoni, 339
——, see Barni, 357
——, see Rovelli, 633
Papotti M., Foschini M.P., Isaia G., Rizzi G., Betts C.M., Eusebi V.: Hypophosphatemic oncogenic osteomalacia: report of three new cases, 599
Paradiso A., see De Lena, 57
Parenti R., see Ciatto, 457
Parmiani G., see Gambacorti-Passerini, 523
Parodi S., see Allavena, 1
Passeretti U., see Donofrio, 751
Pastorino U., Valente M., Gasparini M., Azzarelli A., Santoro A., Tavecchio L., Alloisio M., Ongari M., Ravasi G.: Lung resection as salvage treatment for metastatic osteosarcoma, 201
Pastorino U., see Valente, 213

Patel P.S., Adhvaryu S.G., Balar D.B.: Serum glycoconjugates in patients with anemia and myeloid leukemia, 639
Pawlicki M., see Buzdanowska, 513
Pecchio F., Rapellino M., Ricci E., Casadio C., Moscato D., Adamo R., Miserendino L., Sansalvadore F.: TA 4-SCC versus CEA sensitivity for lung cancer, 393
Pellegris G., see Rovini, 657
Pepi F., see Tucci, 689
Perilongo G., see Cecchetto, 645
Perrone S., see Tomirotti, 573
Pescarmona E.O., see Rendina, 79
Pescetto G., see Conte, 217
Petrinec Z., see Brdar, 45
Pezza A., see Maione, 725
Piatto E., see Cattaneo, 719
Piazza E., see Cattaneo, 719
Picci P., see Bacci, 421
——, see Boriani, 543
Pich A., Stramignoni A., Navone R., Lega M., Gullino P.: Angiogenic activity of hyperplastic and neoplastic lymph nodes, 7
Piffanelli A., see Paci, 675
Piffer R., see Duca, 731
Pimpinelli N., see Brogelli, 157
——, see Moretti, 609
Pinarello A., see Montesco, 97
Pinchera A., see Giani, 287
Pingitore R., see Basolo, 227
Piperno A., see Fargion, 707
Pirovano C., see Valli, 247
——, see Torelli, 475
Pirtoli L., see Tucci, 689
Pistello M., see Viel, 499
Pizzichetta M., see Filiberti, 353
Pizzini L., see Villani, 429
Pizzorno B., see Saccani Jotti, 681
Placucci M., see Rovini, 657
Pogliani E.M., Fowst C., Maffé P., Marozzi A., Stefani M., Polli E.: CNS metastasis in ovarian cancer with microangiopathic hemolytic anemia associated with diffuse intravascular coagulation, 731
Polizzi V., see Muretto, 183
Polli N., see Orazi, 439
Polli E., see Pogliani, 731
Porfiri E., see Tummarello, 207
Potenzoni F., see Vineis, 275
Prandoni N., see Marelli, 387
Presti M., see Bolis, 93
Privitera G., see Puleo, 485
Pugliese A., see Ciaiolo, 537
Puleo S., Di Cataldo A., Li Destri G., La Greca G., Castobello C., Bartoloni G., Privitera G., Scandurra G., Latteri F., Rodolico G.: Radio-hyperthermia for subcutaneous metastasis of hemangiopericytoma of the mediastinum: case report, 485
Puntoni R., Goldsmith D.F., Valerio F., Vercelli M., Bonassi S., Di Giorgio F., Ceppi M., Stagnaro E., Filiberti R., Santi L., Merlo F.: A cohort study of workers employed in a refractory brick plant, 27

Rabitti C., see Morra, 553
Radrizzani M., see Gambacorti-Passerini, 523
Ragni N., see Conte, 217
——, see Chiara, 471
Rainero M.L., see Galli, 195

Rapellino M., see Pecchio, 393
Raspugli M., see Tummarello, 207
Rausa G., see Guidi, 369
Ravagnani F., see Gambacorti-Passerini, 523
Ravaioli A., see Riccobon, 167
Ravasi G., see Cataldo, 71
——, see Pastorino, 201
——, see Valente, 213
Reali U.M., see Brogelli, 157
——, see Moretti, 609
Redkar S.L., see Inamdar, 167
Rendina E.A., Pescarmona E.O., Venuta F., Nardi S., De Rosa G., Martelli M., Ricci C.: Thymoma: a clinico-pathologic study based on newly developed morphologic criteria, 79
Revillion-Carette F., Hornez L., Vandewalle B., Lefebvre J.: Assay of GCDFP-15 by ELISA: an available method for in vitro studies of functional differentiations in human breast cancer, 669
Rho B., see Cattaneo, 719
Riccardi A., see Gaetani, 145
Ricci C., see Rendina, 79
Ricci L., see Marelli, 387
Ricci E., see Pecchio, 393
Riccobon A., Zoli W., Capucci A., Volpi A., Vasini M., Bonaguri C., Flamini E., Ravaioli A., Amadori D.: Radioligand-labeled binding assay and immunochemical assay for estrogen receptor in 115 human breast cancer, 167
Rilke F., see Villa, 257
——, see Agresti, 401
——, see Orazi, 439
Rivoltini L., see Gambacorti-Passerini, 523
Rizzi G., see Papotti, 599
Roca E., see Cazap, 313
Rodolico G., see Puleo, 485
Romano M., Bonelli P.: Polyamine oxidase activity in serum of cancer patients and healthy subjects, 397
Romero A., see Cazap, 313
Romito S., see De Lena, 65
Rosselli Del Turco M., see Paci, 675
Rossetti C., see Andreola, 317
Rossi M.L., Stuart Bevan J., Fleming K.A., Cruz-Sanchez F.: Pituitary metastasis from malignant bronchial carcinoid, 101
Rossi A., see Villani, 429
Rossi M.A., Dianzani M.U.: Analysis of glutathione-dependent enzyme activities in two different rat hepatomas and in normal liver in relation to their role in the resistance against oxidative stress, 617
Rosso R., see Conte, 217
Rovelli F., see Lissoni, 339
——, see Barni, 357
Rovelli F., Lissoni P., Crispino S., Barni S., Fumagalli G., Paolorossi F., Tancini G.: Increased level of soluble interleukin-2 receptor in advanced solid tumors: a preliminary study, 633
Rovini D., Pellegris G., Cascinelli N., Cantoni L., Vaglini M., Placucci M., Santinami M., Belli F., Illeni M.T.: HLA antigens in familial and sporadic cutaneous melanoma, 651
Rudan N., see Brdar, 45
Rusca M., see Saccani Jotti, 681
Rusconi A., see Saccani Jotti, 681
Russo S., see Donofrio, 751

Saccani Jotti G., Bombardieri E., Fontanesi M., Becchi G., Denti L., Rusca M., Rusconi A., Pizzorno B., Tardini A.: Plasma and tissue CEA and TPA markers in operable breast cancer, 681

Sacco M.G., see Villa, 257
Sakharova O.V., see Tsyb, 463
Salvadori B., see Orefice, 347
Sanfilippo O., see Zaffaroni, 137
Sangalli G., see Livraghi, 361
Sansalvadore F., see Pecchio, 393
Sant M., Crosignani P., Bordo B.M., Nicola G., Bianchi M., Berrino F.: Incidence and survival of brain tumors: a population-based study, 243
Santi L., see Allavena, 1
——, see Puntoni, 27
Santi P., see Galli, 195
Santinami M., see Rovini, 657
Santini G., see Defferrari, 555
Santoro A., see Pastorino, 201
Santucci B., see Bondi, 479
Santucci M., see Bondi, 479
——, see Moretti, 609
Sapio L., see Tucci, 683
Sarcevic B., see Brdar, 45
Sassarego M., see Defferrari, 555
Savarese M.R., see Giani, 287
Savi G., see Demicheli, 269
Saviane A., see Lerza, 333
Scandurra G., see Puleo, 485
Scanni A., see Tomirotti, 573
Scarpazza G., see Cattaneo, 713
Schiaffonati L., see Villa, 257
Schiffer D., Giordana M.T., Mauro A., Migheli A.: Reactive astrocytes in the morphologic composition of peripheral areas of gliomas, 411
Schmid C., see Fargion, 713
Sciorelli G., see Gambacorti-Passerini, 523
Segnan N., see Vineis, 275
Seminara P., see Zaffaroni, 137
Sessarego M., see Defferrari, 555
Sfondalmondo S., see Bucciarelli, 587
Shah N.G., see Bhatavdekar, 221
Shukla M.K., see Bathavdekar, 221
Sibau A., see Cartei, 579
Sidoni A., see Bucciarelli, 587
Silvani V., see Gaetani, 145
Silvani A., see Cattaneo, 719
Silvestrini R., see Zaffaroni, 137
Sinistrero G., see Vineis, 275
Sironi A., see Zerbi, 365
Solé L.A., see Bellmunt, 329
Sozzi G., see Orazi, 439
Squartini F., see Marchetti, 261
——, see Giani, 287
Staccioli M.P., see Muretto, 183
Stagnaro E., see Puntoni, 27
Stefani M., see Pogliani, 731
Stevanoni G., see Molino, 151
Storti S., see Morra, 553
Strada D., see Valli, 237
Stramignoni A., see Pich, 7
Stuart Bevan J., see Rossi, 101
Sudanese A., see Boriani, 543
Svec J., see Marchetti, 261

Taccagni G.L., see Di Palo, 593
Tamburini M., see Catania, 41
——, see Filiberti, 353
Tancini G., see Lissoni, 303, 339
——, see Barni, 357
——, see Rovelli, 633
Tardini A., see Saccani Jotti, 681
Tavecchio L., see Pastorino, 201
——, see Valente, 213
Temporelli A., see Vineis, 275
Teofili L., see Marra, 553
Terno G., see Cascinelli, 35
Tiboni M., see Nuzzo, 745
Tirelli U., Zagonel V., Volpe R., Trovò M.G., Carbone A.: Non-Hodgkin's lymphoma in the elderly: a retrospective evaluation of toxicity related to aggressive vs. conservative treatments, 433
Tison V., see Nuzzo, 745
Toffoli G., Lorico A., Boiocchi M.: Changes in chemosensitivity of K 562 leukemia cells after induction of erythroid differentiation by hemin, 11
Tomasi P., see Melillo, 129
Tomirotti M., Perrone S., Giè P., Canaletti R., Carpi A., Biasoli R., Lombardi F., Giovanninetti A., Mensi F., Villa S., Scanni A.: Cisplatin (P) versus cyclophosphamide, adriamycin and cisplatin (CAP) for stage III-IV epithelial ovarian carcinoma: a prospective randomized trial, 573
Tonello M., see Ciaiolo, 537
Toni A., see Boriani, 543
——, see Bacci, 649
Torelli T., Leidi G.L., Corrada P., Bacchioni A.M., Ordesi G., Zanitzer L., Campo B.: The role of partial cystectomy in the management of transitional bladder cancer, 233
Torelli T., Campo B., Ordesi G., Pirovano C., Azzarelli A., Zanolla R.: Sacral chordoma and rehabilitative treatment of urinary disorders, 475
Torriani A., see Notario, 507
Tridente G., see Molino, 151
Trivedi N., see Bhatavdekar, 221
Trovò M.G., see Tirelli, 433
Tsyb A.F., Dunchik V.N., Karyakin O.B., Grishin G.N., Sakharova O.V., Dergachev A.I.: Intra-arterial chemotherapy for advanced bladder cancer, 463
Tucci E., Algeri R., Guarnieri A., Pepi F., Sapio L., Bastreghi G., Pirtoli L.: Weekly epirubicin in advanced breast cancer, 689
Tuccillo B., see Maione, 725
Tummarello D., Guidi F., Porfiri E., Isidori P., Raspugli M., Cellerino R.: Results of a combined chemo-radiotherapeutic program in 61 patients affected by small cell lung cancer, 207
Turolla E., see Duca, 737
Turrin A., see Cascinelli, 35

Urso C., see Bondi, 479

Vaglini M., see Cascinelli, 35
——, see Rovini, 657
Vago G., see Cattaneo, 719
Valente M., see Cataldo, 71
——, see Pastorino, 201
Valente M., Alloisio M., Pastorino U., Tavecchio L., Cataldo I., Bedini A.V., Muscolino G., Ongari M., Ravasi G.: Modified Schoemacher resection for distal gastric cancer, 213
Valerio F., see Puntoni, 27

Valli G., Strada O., Pirovano C.: Clinical and neurophysiologic features in paraneoplasic polyneuropathy, 237
Vandewalle B., see Revillion-Carette, 669
Vasini M., see Riccobon, 167
Ventafridda V., see Filiberti, 353
Venuta F., see Rendina, 79
Vercelli M., see Puntoni, 27
Veronesi A., Magri M.D., Foladore S., Bidoli E., Innocente R., Caruso G., Barzan L., Comoretto R., Monfardini S.: Chemotherapy of advanced head and neck squamous carcinoma with cisplatin, fluorouracil and bleomycin administered in an outpatient schedule, 559
Veselovska Z., see Marchetti, 261
Vettori C., see Livraghi, 361
Vezzoni P., see Villa, 257
Viel A., Maestro R., Pistello M., Dolcetti R., De Re V., Boiocchi M.: Activation by point mutation of Ki-ras gene occurring in transfected human normal DNA, 499
Vigotti M.A., Cislaghi C., Balzi D., Giorgi D., La Vecchia C., Marchi M., Decarli A., Zanetti R.: Cancer mortality in migrant populations within Italy, 107
Villa A., Cairo G., Biunno I., Sacco M.G., Besana C., Schiaffonati L., Giardini R., Rilke F., Vezzoni P.: Specificity of the rearrangements of the T-cell receptor gamma gene in human lymphomas, 257
Villa S., see Tomirotti, 573
Villani F., Pizzini L., Rossi A.: Evaluation of pulmonary toxicity induced by pepleomycin, 429
Vineis P., Caporaso N.: Applications of biochemical epidemiology in the study of human carcinogenesis, 19
Vineis P., Sinistrero G., Temporelli A., Azzoni L., Bigo A., Burke P., Ciccone G., Fasciano F., Ferraris R., Frigerio A., Genovese M.G., Luparia E., Potenzoni F., Segnan N.: Inter-observer variability in the interpretation of mammograms, 275
Vitale A., see Palmieri, 585
Viviani S., see Orazi, 439
Volpe R., see Tirelli, 433
Volpi A., see Riccobon, 167
Wooley P., see Cazap, 313

Zaffaroni N., Silvestrini R., Sanfilippo O., Daidone M.G., Bolis G., Seminara P.: Drug sensitivity of different tumor lesions from the same patient evaluated by a short-term assay, 137
Zagonel V., see Tirelli, 433
Zambetti M., see Negretti, 567
Zanaboni F., see Bolis, 93
Zanetti R., see Vigotti, 107
Zanetti G.: Benign lipoblastoma: first case report of a mesenteric origin, 495
Zanitzer L., see Torelli, 233
Zanolla R., see Torelli, 475
Zerbi A., Braga M., Sironi A., Faravelli A., Di Carlo V.: An uncommon cause of massive intraperitoneal bleeding: deiomyoblastoma of the stomach, 365
Zhao T., He G.: A phase II clinical trial of flutamide in the treatment of advanced breast cancer, 53
Zhao T., He G.: Treatment of postmenopausal breast cancer with bisbromoacethyl hexestrol, 693
Zoli W., see Riccobon, 167

SUBJECT INDEX

Abdominal lesions, Fine aspiration versus cutting needle, and comparison between smear cytology, inclusion cytology and microhistology in — —, 361
Adenoma, The double contrast barium enema in the identification of proximal colonic adenomas and carcinomas beyond the limits of fiberoptic sigmoidoscopy, 457
Adriamycin, Carboplatin (JM8), — and cyclophosphamide (JCA) in advanced ovarian carcinoma, 217
——, Cisplatin versus cyclophosphamide, — and cisplatin for stage III-IV epithelial ovarian carcinoma, a prospective randomized trial, 573
Antigen, Prognostic value of squamous cell carcinoma — in patients with uterine cervical carcinoma, 221
——, Morphologic and — properties of mous mammary tumor virus produced in a hormoneresponsive fashion by C57B/10 mammary tumor of non-viral origin, 261
——, Induction of new antigenic properties on DTIC-treated L1210 clones, 387
——, Plasma and tissue CEA and TPA markers in operable breast cancer. Preliminary results, 681
——, *HLA antigens* in familial and sporadic cutaneous melanoma, 657
Antigenic activity, — and cyclophosphamide (JCA) in advanced ovarian carcinoma, 217
Argophylic carcinoma, Immunohistochemical study of 10 cases of — — of the breast, 295
Barium enema, The double contrast — — in the identification of proximal colonic adenomas and carcinomas beyond the limits of fiberoptic sigmoidoscopy, 457
Beta2-microglobulin, Serum — in malignant lymphoproliferative disorders, 129
Bladder cancer, — — prognostic indices: analysis of 286 patients treated with radical radiation therapy, 85
——, The role of partial cystectomy in the management of transitional — —, 233
——, Intra-arterial chemotherapy for advanced — —, 463
Bleomycin, Chemotherapy of advanced head and neck squamous carcinoma with cisplatin, fluorouracil and — administered in an outpatient schedule, 559
——, vincristine, mitomycin and cisplatin alternated with cyclophosphamide, 4'-epidoxorubicin and procarbazine in advanced non small cell lung cancer, 563
Brain tumor, Incidence and survival of — —: a population based study, 243
Breast, Estrogen and progesterone receptors as prognostic factors in — cancer, 45
——, A phase II clinical trial of flutamide in the treatment of advanced — cancer, 53
——, 4-Demethoxydaunorubicin administered orally in advanced — cancer: a phase II study, 65
——, Radioligand-labeled binding assay and immunochemical assay for estrogen receptor in 115 human — cancer, 167
——, Clinical significance of serum spermine in — cancer, 171
——, The role of galactography in the detection of — cancer, 177
——, Cisplatin and etoposide in chemotherapy-refractory advanced — cancer, 191
——, Conservative treatment of — cancer in Italy, 281
——, Relationship between progesterone receptors and productive fibrosis as an index of tumor differentiation in — cancer, 287
——, Immunohistochemical study of ten cases of argyrophilic carcinoma (carcinoid) of the —, 295
——, Endocrine and clinical effects of an LHRH analogue in pretreated — cancer, 303
——, Monoclonal antibodies MBr1 and MBr8 as predictors of response to oophorectomy in advanced — cancer, 309
——, Ileal carcinoid metastatic of the —, Report of a case, 321

——, Performance of general hospitals in delivering adjuvant chemotherapy to — cancer patients, 377
——, Bilateral primary malignant lymphoma of the —, 587
——, Plasma and tissue CEA and TPA markers in operable — cancer, Preliminary results, 681
——, Assay of GCDFP-15 by ELISA: an available method for in vitro studies of functional differentiation in human — cancer, 669
——, Weekly epirubicin in advanced — cancer, 689
——, G6PD deficiency and — cancer, 665
——, Selection of high-risk groups for — cancer screening, 675
——, Treatment of postmenopausal — cancer with bisbromoacethyl hexestrol, 693
Breast reconstruction, Transposition of myocutaneous flaps in — — following radical mastectomy: latissimus dorsi vs. rectus abdominis flap, 195
Bronchial cancer, Mortality for tracheal, — — and lung cancer: possibilities and limits in data quality-control, 369
Bronchial carcinoid, Pituitary metastasis from malignant — —, 101
——, — with S-100 positive sustenticular cells, 705
Carboplatin, — (JM8), adriamycin and cyclophosphamide (JAC) in advanced ovarian carcinoma: A pilot study, 217
Carcinoma, Phase II study of a 5-fluorouracil, teniposide and mitomycin-C combination chemotherapy in advanced colorectal —, 75
——, Influence of tumor growth kinetics on responses to doxorubicin treatment of C3H mammary —, 269
——, Histopathological characterization of a novel monoclonal antibody MLuCl, reacting with lung carcinomas, 401
——, The double contrast barium enema in the identification of proximal colonic adenomas and — beyond the limits of fiberoptic sigmoidoscopy, 457
——, Contemporary chemotherapy and radiotherapy for inguinal metastases of the penis: a case report, 585
CEA, Plasma and tissue — and TPA markers in operable breast cancer, 681
——, TA 4-SCC versus — sensitivity for lung cancer, 393
Cervix, Prognostic value of squamous cell carcinoma antigen in patients with uterine cervical carcinoma, 221
——, Osteosarcoma of the myometrium synchronous with bilateral papillary cystadenocarcinoma of the ovary and papillary adenocarcinoma of the —, 227
——, Cervical cancer screening in Tuscany: a survey of the actual state of cervical cancer prevention in the Tuscan Region, 253
——, Human papillomavirus (HVP) cervical lesions, results from 300 Italian women, 739
——, Cisplatin and 5-fluorouracil in advanced and recurrent cervical cancer, 471
CFU-GM, The influence of thyroid hormones on colony growth of peripheral — from normal and leukemic subjects, 507
Chemo-radiotherapy, Results of a combined chemo-radiotherapeutic program in 61 patients affected by small cell lung cancer, 207
Choledocus, Langerhans histiocytosis of the — in an adult patient with a history of disseminated disease, 593
Chordoma, Sacral — and rehabilitative treatment of urinary disorder, 475
Circadian rhythm, Alteration of opioid peptide — in cancer patients, 357
Cisplatin, — and etoposide in chemotherapy-refractory advanced breast cancer, 191
——, Studies on hemotoxicity of cyclophosphamide, doxorubicin and cis-diamminodichloroplatinum combined with sodium-2-mercaptoethane sulfonate, 333
——, and 5-fluorouracile in advanced and recurrent cervical cancer, 471
——, Chemotherapy of advanced head and neck squamous carcinoma with — fluorouracil and bleomycin administered in an outpatient schedule, 559
——, — (P) versus cyclophosphamide, adriamycin and — (CAP) for stage III-IV epithelial ovarian carcinoma: a prospective randomized trial, 573
——, Bleomycin, vincristine, mitomycin and — alternated with cyclophosphamide, 4'epidoxorubicin and procarbazine in advanced non small cell lung cancer, 563
CNS-metastasis, — in ovarian cancer with microangiopathic hemolytic anemia associated with diffuse intravascular coagulation, 731

Colorectal cancer, Selection criteria in — screening, 451
——, Phase II study of a 5-fluorouracil, teniposide and mitomycin-C combination chemotherapy in advanced colorectal carcinoma, 75
——, Abnormal pattern of mucin secretion at the resection margin of —, 317
Cyclophosphamide, Intravenous administration of —, methotrexate and 5-fluorouracil in metastatic breast cancer, 57
——, Carboplatin (JM8) adriamycin and — (JAC) in advanced ovarian carcinoma, 217
——, Studies on hemotoxicity of —, doxorubicin and cis-diamminedichloroplatinum combined with sodium-2-mercaptoethane sulfonate, 333
——, Bleomycin, vincristine, mitomycin and cisplatin alternated with —, 4'epidoxorubicin and procarbazine in advanced non small cell lung cancer, 563
——, Cisplatin (P) versus —, adriamycin and cisplatn (CAP) for stage III-IV epithelial ovarian carcinoma, 573
DNA, Activation by point mutation of Ki-ras gene occurring in transfected human normal —, 499
DNCB, An attempt at topical — immunomodulation in advanced malignant melanoma, 519
Doppler, — echocardiographic assessment of left ventricular diastolic function in patients with primary cancer treated with doxorubicin, 725
Doxorubicin, Influence of tumor growth kinetics on response to — treatment of C3H mammary carcinoma, 269
——, Studies on hemotoxicity of cyclophosphamide, — and cis-diamminedichloroplatinum combined with sodium-2-mercaptoethane sulfonate, 333
——, Doppler echocardiographic assessment of left ventricular diastolic function in patients with primary cancer treated with —, 725
DTIC, Induction of new antigenic properties on — treated L1210 clones, 387
Electron microscopy, — in an oncologic institution. Diagnostic usefulness in surgical pathology, 531
ELISA, Assay of GCDFP-15 by —: an available method for in vitro studies of functional differentiation in human breast cancer, 669
Epidemiology, Application of biochemical — in the study of human carcinogenesis, 19
——, A cohort study of workers employed in a refractory brick plant, 27
——, Cancer mortality in migrant population within Italy, 107
——, Evaluation in terms of annual incidence rate of lung cancer within the ULSS of the Veneto region (Italy) from hospital discharge data (years 1980-1982), 697
——, Cancer mortality in Italy, 1982, 623
Epirubicin, Weekly — in advanced breast cancer, 689
Estrogen, — and progesterone receptors as prognostic factors in breast cancer, 45
Etoposide, Cisplatin and — in chemotherapy-refractory advanced breast cancer, 191
Ewing's sarcoma, Radio-induced sarcomas in survivors of —, 543
5-Fluorouracil, Palmar-plantar erythrodysestesia syndrome associated with short-term continuous infusion (5 days) of —, 329
——, Cisplatin and — in advanced and recurrent cervical cancer, 471
Fluorouracil, Chemotherapy of advanced head and neck squamous carcinoma with cisplatin, — and bleomycin administered in an outpatient schedule, 559
Flutamide, A phase II clinical trial of — in the treatment of advanced breast cancer, 53
4-Demethoxy-daunorubicin, — administered orally in advanced breast cancer, 65
4-epi-doxorubicin, Phase II trial of — in locally advanced or metastatic gastric cancer, 563
——, Bleomycin, vincristine, mitomycin and cisplatin alternated with cyclophosphamide, — and procarbazine in advanced non small cell lung cancer, 563
4-hydroxyphenyl retinamide, Psychologic aspects of patients participating in a phase I study with the synthetic retinoid —, 353
Galactography, The role of — in the detection of breast cancer, 177
Gastric cancer, Modified Schoemacher resection for distal —, 213
——, Phase II trial of 4'epi-doxorubicin in locally advanced or metastatic —, 313
Giant cell, — lesions of the jaw, 479
Glioma, Reactive astrocytes in the morphologic composition of peripheral areas of —, 411
Glutathione, Analysis of — dependent enzyme activities in two different hepatomas and in normal liver in relation to their role in resistance to oxidative stress, 617

Glycoconjugates, Serum — in patients with anemia and myeloid leukemia, 639
G6PD, — deficiency and breast cancer, 665
Gynecomastia, Immunohistochemical study of a case of Paget's disease in —, 183
Hard agar, High chemotactic motility and growth in — of a variant of RSV-transformed fibroblasts and lost in late passages, 1
Head and neck squamous cell carcinoma, Chemotherapy of advanced — with cisplatin, fluorouracil and bleomycin administered in an outpatient schedule, 559
Heat shock, Absence of acquired thermotolerance in murine tumors unable to increase the expression of — proteins following stress stimuli, 513
Hemangiopericytoma, Radio-hyperthermia for subcutaneous metastasis of — of the mediastinum, 485
Hemin, Changes in chemosensitivity of K562 leukemia cells after induction of erythroid differentiation by —, 11
Hepatoma, Analysis of glutathione-dependent enzyme activities in two different hepatomas and in normal liver in relation to their role in resistance to oxidative stress, 617
HLA antigens, — in familial and sporadic cutaneous melanoma, 657
Hodgkin's disease, Morphologic, immunologic and cytogenic characteristics of secondary acute unclassifiable leukemia in —, 439
Hydatiform mole, Analysis of 309 cases after —: different follow-up program according to biologic behaviour, 93
Hypophosphatemic oncogenic osteomalacia: report of three new cases, 599
Histyosarcoma, Multiple marker studies on a malignant fibrous — with primary cutaneous localization, 609
Ifosfamide, Phase II study with — in advanced malignant melanoma, 163
Ilio-inguinal dissection, The use of lympho-venous anastomoses to prevent complication from —, 347
Immunotherapy, A new procedure for large scale production and freezing of lymphokine activated killer (LAK) cells to be used in adoptive — of cancer, 523
Interleukin-2 receptor, Increased level of soluble — in advanced solid tumors, 633
Intraperitoneal bleeding, An uncommon cause of massive —: leiomyoblastoma of the stomach, 365
Lactate dehydrogenase, Serum — (LDH) as a tumor marker in Ewing's sarcoma, 649
Langerhans histiocytosis, — of the choledochus in an adult patient with a history of disseminated disease, 593
Leiomyoma, — of the kidney, 489
Leiomyoblastoma, An uncommon cause of massive intraperitoneal bleeding, — of the stomach, 365
Leukemia, Changes in chemosensitivity of K 562 — cells after induction of erythroid differentiation by hemin, 11
——, Morphologic, immunologic and cytogenetic characteristics of secondary acute unclassifiable — in Hodgkin's disease, 439
——, The influence of thyroid hormones on colony growth of peripheral CFU-GM from normal and — subjects, 507
——, Serum glycoconjugates in patients with anemia and myeloid —, 639
Lipoblastoma, Benign —: first case report of a mesenteric origin, 495
Lobectomies, Late results after sleeve or wedge — for non small cell lung carcinoma, 71
L1210 clone, Induction of new antigenic properties on DTIC-treated —, 387
Lung, — resection as salvage treatment for metastatic osteosarcoma, 201
——, Mortality for tracheal, bronchial and — cancer, possibilities and limits in data quality-control, 369
——, TA 4-SCC versus CEA sensitivity for — cancer, 393
——, Histopathological characterization of a novel monoclonal antibody, MLuCl, reacting with — carcinomas, 401
——, — cancer in acute myelomonocytic leukemia: report of two cases, 553
——, Evaluation in term of annual incidence rate of — cancer within the ULSS of the Veneto region (Italy) from hospital discharge data (year 1980-1982), 697
——, Immunohistochemical evaluation of a panel of monoclonal antibodies for the diagnosis of small cell — cancer, 713

——, Doppler-echocardiographic assessment of left ventricular diastolic function in patients with primary — cancer treated with doxorubicin, 725
Lymph nodes, Angiogenic activity of hyperplastic and neoplastic —, 7
Lymphokine activated killer, A new procedure of large scale production and freezing of — (LAK) cells to be used in adoptive immunotherapy of cancer, 523
Lymphoma, Bilateral primary malignant — of the breast, 597
Lympho-venous anastomoses, The use of — to prevent complications from ilio-inguinal dissection, 347
Mammary tumors, Morphologic and antigenic properties of mous — virus produced in a hormone-responsive fashion by C57Bl/10 — of non-viral origin, 261
——, Influence of tumor growth kinetics on response to doxorubicin treatment of C3H mammary carcinoma, 269
Mammograms, Inter-observer variability in the interpretation of —, 275
Mastectomy, Influence of one- and two-stage biopsy-mastectomy procedures on psychologic adaptation of patients, 41
——, Transposition of myocutaneous flaps in breast reconstruction following radical —: latissimus dorsi vs. rectus abdominis flap, 195
Mediastinum, Radio-hyperthermia for subcutaneous metastasis of hemangiopericytoma of the —, 485
Melanoma, Anti — monoclonal antibody 225-28S: evaluation of toxicity in man, 35
——, Establishment and characterization of a new human — cell line (HU 214) with a high growth potential and stable properties, 151
——, Antigenic phenotype of radial growth phase melanomas with or without a vertical growth phase portion, 157
——, Phase II study with ifosfamide in advanced malignant —, 163
——, An attempt at tropical DNCB immunomodulation in advanced malignant —, 519
——, HLA antigens in familial and sporadic cutaneous —, 657
Melatonin, — increase as predictor for tumor objective response to chemotherapy in advanced cancer patients, 339
Methotrexate, Intravenous administration of cyclophosphamide, — and 5-fluorouracil in metastatic breast cancer, 57
——, Enhancement of — cytotoxicity by modulation of proliferative activity in normal and neoplastic T lymphoctes and in a myeloid leukemia cell line, 537
Mice, Morphologic and antigenic properties of mouse mammary tumor virus produced in a hormone-responsive fashion by C57B/10 mammary tumors of non-viral origin, 261
——, Absence of acquired thermotolerance in murine tumors unable to increase the expression of heat shock proteins following stress stimuli, 513
Mitomycin C, Phase II study of a 5-fluorouracil, teniposide and — combination chemotherapy in advanced colorectal carcinomas, 75
Mitoxantrone, A phase II study of —, 579
Monoclonal antibodies, Anti-melanoma — 225-28S: evaluation of toxicity in man, 35
——, — MBr1 and MBr8 as predictor of response to oophorectomy in advanced breast cancer, 309
——, Histopathological characterization of a novel —, MLuCl, reacting with lung carcinoma, 401
——, Immunohistochemical evaluation of a panel of — results of an experiment, 713
Mortality, Cancer — in migrant population within Italy, 107
——, — for tracheal, bronchial and lung cancer: possibilities and limits in data quality-control, 369
——, Cancer — in Italy, 1962, 623
Myeloblastic leukemia, t(1;7) in acute — following myelodysplastic syndrome (RAEB-T), 555
Myeloid leukemia, Enhancement of methotrexate cytotoxicity by modulation of proliferative activity in normal and neoplastic lymphocytes in a — cell line, 537
——, Serum glycoconjugates in patients with anemia and —, 639
Myelomonocytic leukemia, Lung cancer in acute — —: a report of two cases, 553
Myometrium, Osteosarcoma of the — synchronous with bilateral papillary cystadenocarcinoma of the ovary and papillary adenocarcinoma of the cervix, 227
Neuroepithelial tumors, Cell kinetic aspects of human malignant —. A follow-up study, 145

Neurothekeoma, — of the thumb, 751
Non-Hodgkin's lymphoma, — in the elderly: a retrospective evaluation of toxicity related to aggressive vs. conservative treatments, 433
Non-small-cell lung carcinoma, Late results after sleeve or wedge lobectomies for —, 71
——, Bleomycin, vincristine, mitomycin and cisplatin alternated with cyclophosphamide, 4'epidoxorubicin and procarbazine in advanced —, 563
——, Six-drug sequential chemotherapy in —, 719
Opioid peptide, Alteration of — circadian rhythm in cancer patients, 357
Osteomalacia, Hypophosphatemic oncogenic —, report of 3 new cases, 599
Osteosarcoma, — of the myometrium synchronous with bilateral cystadenocarcinoma of the ovary and papillary adenocarcinoma of the cervix, 227
——, Lung resection as salvage treatment for metastatic —, 201
——, Metastatic patterns in —, 421
Ovarian carcinoma, Carboplatin (JM8), adriamycin and cyclophosphamide (JAC) in advanced —, 217
——, Timing of surgery and role of cytoreductive chemotherapy in patients with advanced —, 567
——, Cisplatin (P) versus cyclophosphamide, adriamycin and cisplatin (CAP) for stage III-IV epithelial —: a prospective randomized trial, 573
——, CNS metastasis in ovarian cancer with microangiopathic hemolytic anemia associated with diffuse intravascular coagulation, 731
Oxidative stress, Analysis of glutathione-dependent enzyme activities in two different hepatomas and in normal liver in relation to their role in resistance to —, 617
Paget's disease, Immunohistochemical study of a case of — in gynecomastia, 183
Palmar-plantar erythrodysesthesia, — syndrome associated with short-term continuous infusion (5 days) of 5-fluorouracil, 329
Pap-smears, Intralaboratory reproducibility of interpretation of —: results of an experiment, 737
Papillomavirus (HPV), Human — cervical lesions, results from 300 Italian women, 745
Paraneoplastic polyneuropathy, Clinical and neurophysiologic features in —, 237
Paratesticular rhabdomyosarcoma, — in childhood, experience of an Italian cooperative study, 645
Pepleomycin, Evaluation of pulmonary toxicity induced by —, 429
Pituitary metastasis, — from malignant bronchial carcinoid, 101
Polyamide oxydase, — activity in serum of cancer patients and healthy subjects, 397
Progesterone receptors, Estrogen and — as prognostic factors in breast cancer, 45
——, Relationship between — and productive fibrosis as an index of tumor differentiation in breast cancer, 287
Psychology, Influence of one- and two-stage biopsy-mastectomy procedures on psychologic adaptation of patients, 41
——, Psychologic aspects of patients participating in a phase I study with the synthetic retinoid 4-hydroxyphenyl retinamide, 353
Radiation therapy, Bladder cancer prognostic indices: analysis of 286 patients treated with radical —, 85
Radio hyperthermia, — for subcutaneous metastasis of hemangiopericytoma of the mediastinum: case report, 485
Rhabdomyosarcoma, Paratesticular — in childhood, experience of the Italian cooperative study, 645
RSV, High chemotactic motility and growth in hard agar of a variant of — transformed fibroblasts are lost in late passages, 1
Schoemacher resection, Modified — for distal cancer, 213
Screening, Selection of high-risk groups for breast cancer —, Evidence from an Italian multicenter case control study, 675
Short-time assay, Drug sensitivity of different tumor lesions from the same patient evaluated by an —, 137
Sigmoidoscopy, The double contrast barium enema in the identification of proximal colonic adenomas and carcinomas beyond the limits of fiberoptic —, 457
Small cell lung cancer, Results of a combined chemo-radiotherapeutic program in 61 patients affected by —, 207
——, Immunohistochemical evaluation of a panel of monoclonal antibodies for the diagnosis of —, 713

——, Six drug sequential chemotherapy in —, 719
Solid tumors, Increased level of soluble interleukin-2 receptor in advanced —: a preliminary study, 633
Spermine, Clinical significance of serum — in breast cancer, 171
Squamous cell carcinoma, Prognostic value of — antigen in patients with uterine cervical carcinoma, 221
T-cell receptor, Specificity of the rearrangements of the — gamma gene in human lymphomas, 257
Thermotolerance, Absence of acquired — in murine tumors unable to increase the expression of heat shock proteins following stress stimuli, 513
Thumb, Neurothekeoma of the —, 751
Thymoma, —: a clinico-pathologic study based on newly developed morphologic criteria, 79
Thyroid lymphomas, Parafollicular C-cell hyperplasia. Report of 3 cases in primary —, 97
Thyroid hormones, The influence of — on colony growth of peripheral CFU-GM from normal and leukemic subjects, 507
T lymphocytes, Enhancement of methotrexate cytotoxicity by modulation of proliferative activity in normal and neoplastic — and in myeloid leukemia cell line, 537
Tumor marker, Serum lactate dehydrogenase (LDH) as a — in Ewing's sarcoma, 649
Urinary disorders, Sacral chordoma and rehabilitative treatment of —, 475
Vincristine, Bleomycin, —, mitomycin and cisplatin alternated with cyclophosphamide, 4'-epidoxorubicin and procarbazine in advanced non small cell lung cancer, 563